

SCHNELLPOLITUR mit PTFE Art.-Nr. 975087S

Revision date: 10.02.2017

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SCHNELLPOLITUR mit PTFE Art.-Nr. 975087S

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Polishing agent

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: Seilflechter-Tauwerk GmbH
Street: Auf dem Anger 7-9
Place: D-38110 Braunschweig
Telephone: +49(0)5307-9611-0
e-mail: info@seilflechter.de
Contact person: Abteilung Produktsicherheit Telephone: +49(0)2233 9323 760
Responsible Department: info@drkeddo.de

1.4. Emergency telephone number:

+49 (0) 361-730730 (24 h, GIZ Erfurt)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
78-10-4	ethyl silicate, tetraethyl silicate			1 - < 5 %
	201-083-8	014-005-00-0	01-2119496195-28	
	Flam. Liq. 3, Acute Tox. 4, Eye Irrit. 2, STOT SE 3; H226 H332 H319 H335			

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SCHNELLPOLITUR mit PTFE Art.-Nr. 975087S

Revision date: 10.02.2017

Page 2 of 8

After inhalation

Remove casualty to fresh air and keep warm and at rest.
If unconscious place in recovery position and seek medical advice.
In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.
In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person or a person with cramps.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO₂), Foam, Dry extinguishing powder, alcohol resistant foam

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:
Pyrolysis products, toxic; Nitrogen oxides (NO_x); Carbon dioxide; Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.
In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.
Provide adequate ventilation.
Personal protection equipment: see section 8
Remove persons to safety.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SCHNELLPOLITUR mit PTFE Art.-Nr. 975087S

Revision date: 10.02.2017

Page 3 of 8

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

No special technical protective measures are necessary.
Avoid contact with eyes and skin.
Keep container tightly closed.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

No information available.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

No special technical protective measures are necessary.
Keep/Store only in original container.
Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

No information available.

7.3. Specific end use(s)

Observe instructions for use.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
78-10-4	ethyl silicate, tetraethyl silicate			
Worker DNEL, long-term		inhalation	systemic	85 mg/m ³
Worker DNEL, acute		inhalation	systemic	85 mg/m ³
Worker DNEL, long-term		inhalation	local	85 mg/m ³
Worker DNEL, acute		inhalation	local	85 mg/m ³
Worker DNEL, long-term		dermal	systemic	56 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	56 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	14 mg/m ³
Consumer DNEL, long-term		inhalation	local	14 mg/m ³
Consumer DNEL, acute		inhalation	local	14 mg/m ³
Consumer DNEL, long-term		dermal	local	3 mg/cm ²
Consumer DNEL, acute		dermal	local	3 mg/cm ²

SCHNELLPOLITUR mit PTFE Art.-Nr. 975087S

Revision date: 10.02.2017

Page 4 of 8

PNEC values

CAS No	Substance	
Environmental compartment		Value
78-10-4	ethyl silicate, tetraethyl silicate	
Freshwater		0,19 mg/l
Marine water		0,019 mg/l
Freshwater sediment		0,83 mg/kg
Marine sediment		0,083 mg/kg
Soil		0,05 mg/kg

8.2. Exposure controls**Appropriate engineering controls**

Provide adequate ventilation.

Protective and hygiene measures

When using do not eat, drink, smoke, sniff. Avoid contact with eyes and skin. Wash hands before breaks and after work. Apply skin care products after work. Wash contaminated clothing prior to re-use.

Eye/face protection

goggles

Hand protection

Tested protective gloves must be worn: DIN EN 374

Suitable material:

NBR (Nitrile rubber)

Butyl caoutchouc (butyl rubber)

Skin protection

Protective clothing.

Respiratory protection

Usually no personal respirative protection necessary.

Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: liquid
Colour: white
Odour: characteristic

pH-Value (at 20 °C):

~7

Test method**Changes in the physical state**

Melting point: not applicable

Initial boiling point and boiling range: not applicable

Flash point: >100 °C

Flammability

Solid: not applicable

Gas: not applicable

Explosive properties

not explosive according to EU A.14

SCHNELLPOLITUR mit PTFE Art.-Nr. 975087S

Revision date: 10.02.2017

Page 5 of 8

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature	
Solid:	not determined
Gas:	not applicable
Decomposition temperature:	not determined
Oxidizing properties	
Not oxidizing.	
Vapour pressure:	not determined
Density:	~1,32 g/cm ³
Water solubility:	partially miscible
Solubility in other solvents	
not determined	
Partition coefficient:	not determined
Vapour density:	not determined
Evaporation rate:	not determined
<u>9.2. Other information</u>	
Solid content:	not determined

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong ,
Alkali (lye) ,
Acid

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

SCHNELLPOLITUR mit PTFE Art.-Nr. 975087S

Revision date: 10.02.2017

Page 6 of 8

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
78-10-4	ethyl silicate, tetraethyl silicate			
	inhalative vapour	ATE 11 mg/l		
	inhalative aerosol	ATE 1,5 mg/l		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

Practical experience**Observations relevant to classification**

No information available.

Other observations

No information available.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information**12.1. Toxicity**

No information available.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Further information

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

SCHNELLPOLITUR mit PTFE Art.-Nr. 975087S

Revision date: 10.02.2017

Page 7 of 8

Advice on disposal

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

ethyl silicate, tetraethyl silicate

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international conernat le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

SCHNELLPOLITUR mit PTFE Art.-Nr. 975087S

Revision date: 10.02.2017

Page 8 of 8

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effectice concentration, 50 percent

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)